

## GAS PIPING

# Township Of Howell

THE FOLLOWING INFORMATION  
MUST BE SHOWN – PROVIDE A  
GAS SCHEMATIC.

1. The type of piping material used. NOTE: if corrugated stainless steel tubing (CSST) pipe is being used, provide the sizing chart from manufacture installation instructions and CSST certification.
2. The total develop length, (in feet), of the longest run of gas piping from source to the furthest appliance.
3. The BTUs input rating of all appliances connected to the gas system. This shall include any existing appliances, the addition of any new appliances, and the installation of any future appliances.
4. The size of each section of gas pipe. This will include any existing gas piping or newly installed gas piping.
5. The type of gas used.

NOTE: If LP gas is going to be used, provide a plot plan showing the location of LP tanks in relationship to the house and property lines.

**ALL GAS PIPING SHALL BE  
TESTED BY AN AIR PRESSURE  
TEST.**

The pressure test shall be  $\frac{1}{2}$  the working pressure of the gauge used – example: 60 psig. gauge, install a 30 psig test. A 30 psig. gauge, install a 15psig test.

**NO GAUGE LARGER THAN  
60 PSIG. WILL BE ALLOWED.**

All piping shall be left exposed for inspection.

All work shall comply with the following codes:

- International Residential Code 2006 – NJ Edition
- International Fuel Gas Code 2006
- NFPA 58 LP-Gas Code



TOWNSHIP OF HOWELL  
251 Preventorium Rd.  
P.O. Box 580  
Howell, NJ 07731  
Phone: (732) 938-4500  
Fax (732) 938-6492

