

POOL HEATER

GAS LINES

# Township Of Howell



TOWNSHIP OF HOWELL  
251 Preventorium Rd.  
P.O. Box 580  
Howell, NJ 07731  
Phone: (732) 938-4500  
Fax (732) 938-6492

THE FOLLOWING INFORMATION  
MUST BE SHOWN – PROVIDE A  
GAS SCHEMATIC

1. The type of piping material used.
2. The “total develop length”, (in feet), of the longest run of gas piping from source to pool heater.
3. The BTU input rating of the pool heater.
4. The size of gas line to pool heater.
5. The type of gas to be used.

NOTE: If LP gas is going to be used, provide a plot plan showing the location of LP tanks in relationship to the house, pool heater, and property lines.

ALL GAS PIPING SHALL BE TESTED BY AN AIR PRESSURE TEST

The pressure test shall be ½ the working pressure of the gauge used – example: 60 psig gauge, install a 30 psig test. A 30 psig gauge, a 15 psig test

NO GAUGE LARGER THAN 60 PSIG WILL BE ALLOWED.

All underground gas piping SHALL be left fully exposed for inspection.

If trench is back filled before required inspection, it will be dug up.

All work shall comply with the following codes

- International Residential Code 2006
- International Fuel Gas Code 2006
- NFPA 58 LP-Gas Code

**SAMPLE SCHEMATIC**

