

## SEWER CONNECTIONS

# Township Of Howell



TOWNSHIP OF HOWELL  
251 Preventorium Rd.  
P.O. Box 580  
Howell, NJ 07731  
Phone: (732) 938-4500  
Fax (732) 938-6492

THE FOLLOWING INFORMATION  
SHALL BE PROVIDED.

1. Plumbing Tech Section shall be filled out completely, signed, and sealed if a N.J. licensed master plumber is doing work.
2. Need Manasquan River Regional Sewer Authority, (MRRSA), approval for construction release, or a "no service" release. MRRSA can be reached at 732-431-8185. They are located on Havens Bridge Road, Howell.
3. Need Howell Sewer Department approval. They can be reached at The Office of the Utility Collector; 732-938-5970

### **SEPTIC TANK ABANDONMENT PROCEDURES.**

1. Tanks shall be completely pumped dried. **PROVIDE RECEIPT FROM SEPTIC COMPANY.**

2. At least one sidewall shall be completely broken all the way to the bottom of the tank **OR** the bottom floor of the tank shall be completely broken.

### **NOTE:**

This is a required inspection by our department, and shall be witnessed by the Plumbing Inspector. If the tank is backfilled before this inspection, you will be subjected to a Notice and Order of Penalty of \$500.00. Also, any material used to fill tank will be removed so an inspection can be preformed.

### **PLEASE PLAN YOUR JOB ACCORDINGLY.**

3. After tank has been inspected and "APPROVED" for abandonment, the tank can be back filled with the proper fill. Our Department will make a re-inspection of this area to make sure the tank was filled to grade.